

eB C.B. Asia Ltd.

Natural Wood Flooring





Characteristic

We pick the finest timber
The characteristics of
tree species



Maple 枫木



Birch 桦木



Oak 橡木



Hickory 山核桃



MKNO.67 中国代号 *H_122127T_奥古斯塔&G*

PSF(LYP)_H(ABCD/S)_ME(EP/P)_12/2x127x300/1900(18%900)_TG(J)_B_S&WB/L_UV(6-9%)_Augusta奥古斯塔&G_KH

D)American Hickory(ABCD sliced), Multi-layer engineered flooring (Eucalyptus & Poplar core, poplar backer), 12/2x127x300/1900 (RL, longboard 18%, average length 900mm), T&G, Smooth Light brushed, UV Lacquer (gloss 6-9%), Colour:Augusta&G

美国山核桃多层实木复合地板，12/2x127x300/1900乱尺，平面浅拉丝，ABCD级，奥古斯塔



MKNO.1 *M_122152T_G808-5*

M(ABCD/S)_ME(EP/P)_12/2x152x400/1900(14%900)_TG(J)_B_HS_UV(6-9%)_G808-5_KH

MKNO.2 *M_122152T_G808-6*

M(ABCD/S)_ME(EP/P)_12/2x152x400/1900(14%900)_TG(J)_B_HS_UV(6-9%)_G808-6_KH



MKNO.3 *EO_122190T_G808-1&LS&C1*

EO(ABCD/S)_ME(E/P)_12/2x190x500/1900(25%1085)_TG(J)_B_S&WB/L_UV(6-9%)_G808-1&LS&C1_KH

MKNO.4 *EO_122190T_G808-1&LS&C1*

EO(ABCD/S)_ME(E/P)_12/2x190x500/1900(25%1085)_TG(J)_B_S&WB/L_UV(6-9%)_G808-2&LS&C1_KH



MKNO.70 中国代号 EO_122127T_新枪托

PSF(LYP)_EO(ABC/S)_ME(EP/P)_12/2x127x300/1900(18%900)_TG(Q)_N_S_UV(33-38%)_Gunstock 新枪托_KH

D)European White Oak(ABC sliced), Multi-layer engineered flooring (Eucalyptus & Poplar core, poplar backer), 12/2x127x300/1900 (RL, longboard 18%, average length 900mm), T&G, Smooth, UV Lacquer (gloss 33-38%), Colour:Gunstock
欧洲白橡多层实木复合地板,12/2x127x300/1900乱尺, 平面, ABC级, 新枪托



MKNO.71 中国代号 EO_122127T_皮罗特&MS

PSF(LYP)_EO(ABCD/S)_ME(EP/P)_12/2x127x300/1900(18%900)_TG(J)_B_S&WB/L_UV(6-9%)_Pilot Butte皮罗特&MS_DL

D)European White Oak(ABCD sliced), Multi-layer engineered flooring (Eucalyptus & Poplar core, poplar backer), 12/2x127x300/1900 (RL, longboard 18%, average length 900mm), T&G, Smooth Light brushed, UV Lacquer (gloss 6-9%), Colour:Pilot Butte&MS
欧洲白橡多层实木复合地板,12/2x127x300/1900乱尺, 平面浅拉丝, ABCD级,皮罗特



MKNO.5 EO_122190T_G808-3&LS

EO(ABCD/S)_ME(E/P)_12/2x190x500/1900(25%1085)
_TG(J)_B_S&WB/L_UV(6-9%)_G808-3&LS_KH



MKNO.6 EO_122190T_G808-4&LS

EO(ABCD/S)_ME(E/P)_12/2x190x500/1900(25%1085)
_TG(J)_B_S&WB/L_UV(6-9%)_G808-4&LS_K



MKNO.7 EO_122190T_火山岩&C1

EO(ABCD/S)_ME(E/P)_12/2x190x500/1900(25%1085)
_TG(J)_B_HS&WB/L_UV(6-9%)_Lava River火山岩&C1_KH



MKNO.8 EO_122190T_青岩&C1

EO(ABCD/S)_ME(E/P)_12/2x190x500/1900(25%1085)
_TG(J)_B_HS&WB/L_UV(6-9%)_Propylite 青岩&C1_KH



MKNO.75 中国代号 EO_122127T_烟熏&M

PSF(LYP)_EO(ABCD/S)_ME(EP/P)_12/2x127x300/1900(18%900)
_TG(J)_B_S&WB/L_UV(6-9%)_Smokehouse烟熏&M_DL

D)European White Oak(ABCD sliced), Multi-layer engineered flooring
(Eucalyptus & Poplar core, poplar backer), 12/2x127x300/1900 (RL,
longboard 18%, average length 900mm), T&G, Smooth Light brushed,
UV Lacquer (gloss 6-9%), Colour:Smokehouse&M
欧洲白橡多层实木复合地板,12/2x127x300/1900乱尺, 平面浅拉丝,
ABCD级, 烟熏

MKNO.9 M_122152T_G808-7&G

M(ABCD/S)_ME(EP/P)_12/2x152x400/1900(25%
1150)_TG(J)_B_HS_UV(6-9%)_G808-7&G_KH



MKNO.10 M_122152T_G808-8&G

M(ABCD/S)_ME(EP/P)_12/2x152x400/1900(25%
1150)_TG(J)_B_HS_UV(6-9%)_G808-8&G_KH



MKNO.14 EO_153152T_G808-16&C1

EO(ABCD/S)_ME(EP/P)_15/3x152x400/1900(25%
1150)_TG(J)_B_HS&WB/L_WO(6-9%)_G808-
16&C1_KH



MKNO.15 EO_143152T_G808-17&MS

EO(ABCD/S)_ME(EP/P)_14/3x152x400/1900(25%
1150)_TG(J)_B_HS&WB/L_UV(6-9%)_G808-
17&MS_KH



MKNO.16 *H_122190T_G808-21&C4*

*H(ABCD/S)_ME(E/P)_12/2x190x500/1900(25%
1200)_TG(J)_N_S&WB/L_UV(6-9%)_G808-
21&C4_KH*

MKNO.18 *EO_153190T_G808-18&C1*

*EO(CDE/S)_2E(O)_15/3x190x500/1900(33%1200)
_TG(J)_B_S&SM&WB/L_UV(6-9%)_G808-18&C1_DL*

MKNO.19 *EO_153190T_G808-19&MS*

*EO(CD/S)_2E(O)_15/3x190x500/1900(33%1200)
_TG(J)_B_S&SM&WB/L_NO(6-9%)_G808-19&MS_DL*

MKNO.20 *EO_153190T_G808-20&LS&W*

*EO(ABCDE/S)_2E(O)_15/3x190x500/1900(33%
1200)_TG(J)_B_S&SM&WB/L_UV(6-9%)_G808-
20&LS&W_DL*



MKNO.88 中国代号 *EO_122127T_布拉福德&LS&H*

*PSF(LYP)_EO(ABCD/S)_ME(EP/P)_12/2x127x300/1900(18%900)_TG(J)_B_S&WB/L_UV
(6-9%)_Bradford布拉福德&LS&H_DL*

*D)European White Oak(ABCD sliced), Multi-layer engineered flooring (Eucalyptus&Poplar
core, poplar backer), 12/2x127x300/1900 (RL, longboard 18%, average length 900mm),
T&G, Smooth Light brushed, UV Lacquer (gloss 6-9%), Colour:Bradford&LS&H
欧洲白橡多层实木复合地板,12/2x127x300/1900乱尺,
平面浅拉丝, ABCD级, 布拉福德*





MKNO.191 中国代号 H_182152T_纯血马&G

EC(ZH)_H(ABCD/S)_ME(EP/P)_18/2x152x400/1900(28%1050)_TG(I)
_B_HS&DI&WB/L_UV(5-8%)_Thoroughbred 纯血马&G_DL

D)American Hickory(ABCD sliced), Multi-layer engineered flooring (Eucalyptus & Poplar core, poplar backer), 18/2x152x400/1900 (RL, longboard 28%, average length 1050mm), T&G, Hand-scraped Distressed Light brushed, UV Lacquer (gloss 5-8%), Colour:Thoroughbred&G 美国山核桃多层实木复合地板, 18/2x152x400/1900乱尺, 仿古刀砍浅拉丝, ABCD级, 纯血马



MKNO.21 EO_153190T_G808-11&MS&CI

EO(CD/S)_3E(P/O)_15/3x190x500/1900(33%1200)
_TG(I)_B_HS&WB/L_WO(6-9%)_G808-11&MS&CI_DL



MKNO.22 EO_153190T_G808-12

EO(CD/S)_3E(P/O)_15/3x190x500/1900(33%1200)
_TG(I)_B_HS&WB/L_NO(6-9%)_G808-12_DL



MKNO.24 EO_154240T_G808-13

EO(ABCD/C)_3E(P/P)_15/4x240x650/2200(90%
1985)_TG(I)_B_HS&WB/L_WO(6-9%)_G808-13_DL



MKNO.80 EO_122127T_星空&MS&CI

PSF(LYP)_EO(ABCD/S)_ME(EP/P)
_12/2x127x300/1900(18%900)_TG(I)
_B_S&SM_IOUO(3-6%)_Starry Night星空&MS&CI_DL

MKNO.23 EO_153190T_G808-14&LS&C1

EO(CD/S)_3E(P/O)_15/3x190x500/1900(33%1200)
_TG(J)_B_S&EM_WO(6-9%)_G808-14&LS&C1_DL



MKNO.197 H_122190V_栗子

PE(ZH)_H(ABCD/S)_ME(E/P)_12/2x190x600/1900
(33%1140)_VG(J)_C_S&WB/L_UV(6-9%)_Nova
Scotia 栗子_DL



MKNO.199 EO_122152V_新地平线

PE(ZH)_EO(ABC/S)_ME(E/P)_12/2x152x400/1900
(25%1085)_VG(J)_N_S&WB/L_UV(6-9%)_British
Columbia 新地平线_DL

MKNO.206 EO_143190T_盐田&S&M

EA(MJL)_EO(ABC/S)_ME(E/P)_14/3x190x600/1900
(75%0)_TG(J)_S&WB/L_UV(6-9%)_Salt Pan 盐田
&S&M_DL

MKNO.90 中国代号 EO_122127T_威乐比&C1

PSF(LYP)_EO(ABCD/S)_ME(EP/P)_12/2x127x300/1900(18%900)_TG(J)_B_S&WB/L_UV
(6-9%)_Willerby威乐比&C1_DL

D)European White Oak(ABCD sliced), Multi-layer engineered flooring (Eucalyptus&Poplar
core, poplar backer), 12/2x127x300/1900 (RL, longboard 18%, average length 900mm),
T&G, Smooth Light brushed, UV Lacquer (gloss 6-9%), Colour:Willerby&C1
欧洲白橡多层实木复合地板,12/2x127x300/1900乱尺, 平面浅拉丝, ABCD级, 威乐比





MKNO.85 中国代号 EO_122127T_火山岩&S

PSF(LYP)_EO(ABCD/S)_ME(EP/P)_12/2x127x300/1900(18%900)_TG(J)_B_S&WB/L_UV
(4-8%)_Lava River火山岩&S_DL

D)European White Oak(ABCD sliced), Multi-layer engineered flooring (Eucalyptus&Poplar
core, poplar backer), 12/2x127x300/1900 (RL, longboard 18%, average length 900mm),
T&G, Smooth Light brushed, UV Lacquer (gloss 4-8%), Colour:Lava River&S

欧洲白橡多层实木复合地板,12/2x127x300/1900乱尺,平面浅拉丝,ABCD级,火山岩

MKNO.109 中国代号 H_122152T_酿酒厂

PSF(LYP)_H(ABCD/S)_ME(EP/P)_12/2x152x400/1900(29%900)_TG(J)
_B_S&DI&WB/L_UV(6-9%)_Distillery Distric酿酒厂_KH

D)American Hickory(ABCD sliced), Multi-layer engineered flooring (Eucalyptus&Poplar core,
poplar backer), 12/2x152x400/1900 (RL, longboard 29%, average length 900mm), T&G, Smooth
Distressed Light brushed, UV Lacquer (gloss 6-9%), Colour:Distillery Distric


美国山核桃多层实木复合地板,12/2x152x400/190乱尺,平面刀砍浅拉丝,ABCD级,酿酒厂



MKNO.97 中国代号 EO_122127T_银白&MS

PSF(LYP)_EO(ABCD/S)_ME(EP/P)_12/2x127x300/1900(18%900)_TG(J)_B_S&WB/L_UV
(6-9%)_Silver Falls银白&MS_KH

D)European White Oak(ABCD sliced), Multi-layer engineered flooring (Eucalyptus&Poplar
core, poplar backer), 12/2x127x300/1900 (RL, longboard 18%, average length 900mm),
T&G, Smooth Light brushed, UV Lacquer (gloss 6-9%), Colour:Silver Falls&MS
欧洲白橡多层实木复合地板,12/2x127x300/1900乱尺, 平面浅拉丝, ABCD级, 银白



MKNO.217 EO_143190T_烟草&G

LMT(LL)_EO(ABC/S)_3E(P/P)_14/3x190x600/1900
(84%1629)_TG(J)_LB_S&WB/S_UO(5-7%)_Tabacco
烟草&G_DL

MKNO.218 EO_143190T_无色

LMT(LL)_EO(ABC/S)_3E(P/P)_14/3x190x600/1900
(84%1629)_TG(J)_LB_S&WB/S_IOUO(5-7%)_Look
Unfinished 无色_DL



MKNO.219 EO_143190T_棉白

LMT(LL)_EO(ABC/S)_3E(P/P)_14/3x190x600/1900
(84%1629)_TG(J)_LB_S&WB/S_WO(5-7%)_Cotton
White 棉白_DL

MKNO.220 EO_143190T_无色

LMT(LL)_EO(CD/S)_3E(P/P)_14/3x190x600/1900
(84%1629)_TG(J)_LB_S&EM_IO(5-7%)_Look
Unfinished 无色_DL



MKNO.99 中国代号 EO_122127T_边界&C1&W

PSF(LYP)_EO(ABCD/S)_ME(EP/P)_12/2x127x300/1900(18%900)_TG(J)_B_S WB/L_UV
(6-9%)_Frontier边界&C1&W_KH

D)European White Oak(ABCD sliced), Multi-layer engineered flooring (Eucalyptus&Poplar
core, poplar backer), 12/2x127x300/1900 (RL, longboard 18%, average length 900mm),
T&G, Smooth Light brushed, UV Lacquer (gloss 6-9%), Colour:Frontier&C1&W
欧洲白橡多层实木复合地板,12/2x127x300/1900乱尺, 平面浅拉丝, ABCD级, 边界



MKNO.119 中国代号 EO_143152T_乡路

PSF(LYP)_EO(ABCD/S)_ME(EP/P)_14/3x152x300/1900(29%900)_TG(J)
_B_HS&WB/L_UV(6-9%)_Country Road乡路_KH

D)European White Oak(ABCD sliced), Multi-layer engineered flooring (Eucalyptus&Poplar core, poplar backer), 14/3x152x300/1900 (RL, longboard 29%, average length 900mm), T&G, Hand-scraped Light brushed, UV Lacquer (gloss 6-9%), Colour:Country Road
欧洲白橡多层实木复合地板,14/3x152x300/1900乱尺, 仿古浅拉丝, ABCD级, 乡路



MKNO.96 EO_122127T_农舍&C1

PSF(LYP)_EO(ABCD/S)_ME(EP/P)
_12/2x127x300/1900(18%900)_TG(J)
_B_S&WB/L_UV(6-9%)_Farmhouse 农舍&C1_KH



MKNO.221 EO_143190T_A395&W&M

MS(LYP)_EO(ABCD/S)_3E(P/P)_14/3x190x600/1900
(88%1689)_TG(J)_B_S&WB/M_UV(5-10%)
_A395&W&M_DL



MKNO.222 EO_143190T_A347&W&M

MS(LYP)_EO(ABCD/S)_3E(P/P)_14/3x190x600/1900
(88%1689)_TG(J)_B_S&WB/M_UV(5-10%)
_A347&W&M_DL

MKNO.225 EO_154240T_N

MS(LYP)_EO(ABCD/C)_3E(P/P)
_15/4x240x600/1900(88%1689)_TG(J)
_S&WB/M_UV(5-10%)_001Natural 自然色_DL



MKNO.230 EO_122190V_冰川森林&G&H

NX_EO(ABC/S)_ME(E/P)_12/2x190x650/1900(43%1275)_VG(J)_C_S&WB/L_UV(6-9%)_Glacial Forest 冰川森林&G&H_DL



MKNO.279 EO_1890T_新枪托

PSF(LYP)_EO(ABC)_S_18x90x300/1200(7%630)_TG(J)_N_S_UV(33-38%)_Gunstock 新枪托_DL



MKNO.98 中国代号 EO_122127T_铁门&C1

PSF(LYP)_EO(ABCD/S)_ME(EP/P)_12/2x127x300/1900(18%900)_TG(J)_B_S&WB/L_UV(6-9%)_Iron Gate铁门&C1_KH

D)European White Oak(ABCD sliced), Multi-layer engineered flooring (Eucalyptus&Poplar core, poplar backer), 12/2x127x300/1900 (RL, longboard 18%, average length 900mm), T&G, Smooth Light brushed, UV Lacquer (gloss 6-9%), Colour:Iron Gate&C1
欧洲白橡多层实木复合地板,12/2x127x300/1900乱尺, 仿古浅拉丝, ABCD级, 铁门



MKNO.118 中国代号 EO_143152T_砂路

PSF(LYP)_EO(ABCD/S)_ME(EP/P)_14/3x152x300/1900(29%900)_TG(I)_B_HS&WB/L_UV(6-9%)_Sand Trail砂路_KH

D)European White Oak(ABCD sliced), Multi-layer engineered flooring (Eucalyptus&Poplar core, poplar backer), 14/3x152x300/1900 (RL, longboard 29%, average length 900mm), T&G, Hand-scraped Light brushed, UV Lacquer (gloss 6-9%), Colour:Sand Trail
欧洲白橡多层实木复合地板,14/3x152x300/1900乱尺, 仿古浅拉丝, ABCD级, 砂路



MKNO.122 中国代号 H_122110/152/190T_阿卡迪亚

PSF(LYP)_H(ABCD/S)_ME(E/P)_12/2x110/152/190x300/1900(42%800)_TG(I)_B_S&DI&SM_UV(6-9%)_Acadia阿卡迪亚_KH

D)American Hickory(ABCD sliced), Multi-layer engineered flooring (Eucalyptus core, poplar backer), 12/2x110/152/190x300/1900 (RL, longboard 42%, average length 800mm), T&G, Smooth Distressed Sawn mark, UV Lacquer (gloss 6-9%), Colour:Acadia
美国山核桃多层实木复合地板,12/2x110/152/190x300/1900乱尺, 平面刀砍锯痕, ABCD级, 阿卡迪亚



MKNO.124 中国代号 H_122110/152/190T_红木

PSF(LYP)_H(ABCD/S)_ME(E/P)_12/2x110/152/190x300/1900(42%800)_TG(J)
_B_S&DI&SM_UV(6-9%)_Redwood红木_KH

D)American Hickory(ABCD sliced), Multi-layer engineered flooring (Eucalyptus core, poplar backer), 12/2x110/152/190x300/1900 (RL, longboard 42%, average length 800mm), T&G, Smooth Distressed Sawn mark, UV Lacquer (gloss 6-9%), Colour:Redwood
美国山核桃多层实木复合地板,12/2x110/152/190x300/1900乱尺, 平面刀砍锯痕, ABCD级, 红木




MKNO.543 H_143190T_星辰&G

ADS(LYP)_H(ABCD/S)_ME(EP/P)_14/3x190x500/
1900(17%1038)_TG(Q)_B_S&WB/L_UV(6-9%)
_Ontario 星辰&G_KH

MKNO.547 EO_143190T_蒙特卡洛

ADS(LYP)_EO(ABCD/S)_ME(EP/P)
_14/3x190x500/1900(17%1038)_TG(Q)
_B_S&WB/L_UV(6-9%)_Saskatchewan 蒙特卡洛_KH





MKNO.135 中国代号 EO_122190T_布轮来

PSF(LYP)_EO(CDE/S)_ME(E/P)_12/2x190x500/1900(33%1036)_TG(J)
_B_S&WB/L_UV(6-9%)_Bromley 布轮来_KH

D)European White Oak(CDE sliced), Multi-layer engineered flooring (Eucalyptus core, poplar
backer), 12/2x190x500/1900 (RL, longboard 33%, average length 1036mm), T&G, Smooth
Light brushed, UV Lacquer (gloss 6-9%), Colour:Bromley
欧洲白橡多层实木复合地板,12/2x190x500/1900乱尺,平面浅拉丝,CDE级,布轮来



MKNO.548 EO_143190T_月光&G

ADS(LYP)_EO(ABCD/S)_ME(EP/P)
_14/3x190x500/1900(17%1038)_TG(Q)
_B_S&WB/L_UV(6-9%)_New Brunswick 月光&G_KH



MKNO.898 W_143190V_N

NX(LX)_W(AB/C)_3E(P/P)_14/3x190x950/1900
(90%1425)_VG(J)_F_S_UV(6-9%)_898 自然色_DL



MKNO.902 EO_143190V_902&MS

NX(LX)_EO(ABC/S)_3E(P/P)_14/3x190x950/1900
(90%1425)_VG(J)_F_S&WB/S_UO(3-7%)
_902&MS_DL



MKNO.903 EO_143190V_903&C3&W

NX(LX)_EO(ABC/S)_3E(P/P)_14/3x190x950/1900
(90%1425)_VG(J)_N_S&WB/L_UV(6-9%)
_903&C3&W_DL

MKNO.906 EO_143190V_906

NX(LX)_EO(ABC/S)_3E(P/P)_14/3x190x950/1900
(90%1425)_VG(J)_N_S_UV(6-9%)_906_DL



MKNO.910 EO_154240T_910&DS&W

ELV_EO(ABCD/C)_3E(P/P)_15/4x240x650/2200
(83%1880)_TG(J)_B_S&WB/L_IOUO(6-9%)
_910&DS&W_DL

MKNO.907 EO_143190V_907

NX(LX)_EO(ABC/S)_3E(P/P)_14/3x190x950/1900
(90%1425)_VG(J)_N_S_UV(6-9%)_907_DL



MKNO.911 EO_154240T_911&C5

ELV_EO(ABCD/C)_3E(P/P)_15/4x240x650/2200
(83%1880)_TG(J)_B_S&WB/L_IOUO(6-9%)
_911&C5_DL



MKNO.136 中国代号 EO_122190T_布莱顿&MS

PSF(LYP)_EO(CDE/S)_ME(E/P)_12/2x190x500/1900(33%1036)_TG(J)
_B_S&WB/L_UV(6-9%)_Brighton布莱顿&MS_KH

D)European White Oak(CDE sliced), Multi-layer engineered flooring (Eucalyptus core, poplar backer), 12/2x190x500/1900 (RL, longboard 33%, average length 1036mm), T&G, Smooth
Light brushed, UV Lacquer (gloss 6-9%), Colour:Brighton&MS
欧洲白橡多层实木复合地板,12/2x190x500/1900乱尺, 平面浅拉丝, CDE级, 布莱顿

MKNO.139 中国代号 EO_122190T_凯特灵&S

PSF(LYP)_EO(CDE/S)_ME(E/P)_12/2x190x500/1900(33%1036)_TG(I)
_B_S&WB/L_UV(6-9%)_Kettering 凯特灵&S_KH

D)European White Oak(CDE sliced), Multi-layer engineered flooring (Eucalyptus core, poplar backer), 12/2x190x500/1900 (RL, longboard 33%, average length 1036mm), T&G, Smooth Light brushed, UV Lacquer (gloss 6-9%), Colour:Kettering&S

欧洲白橡多层实木复合地板,12/2x190x500/1900乱尺, 平面浅拉丝, CDE级, 凯特灵

MKNO.914 EO_154240T_914&C4

ELV_EO(ABCD/C)_3E(P/P)_15/4x240x650/2200(83%
1880)_TG(I)_B_S&WB/L_IOUO(6-9%)_914&C4_DL

MKNO.919 EO_154240T_919&MS&W

EO(ABCD/C)_3E(P/P)_15/4x240x650/2200(83%1880)
_TG(I)_B_S&WB/L_IOUO(6-9%)_919&MS&W_DL



MKNO.154 中国代号 EO_143190T_N

PSF(LYP)_EO(ABCD/S)_ME(EP/P)_14/3x190x500/1900(84%1629)_TG(J)
_B_HS&WB/L_UV(6-9%)_Natural 自然色_KH

D)European White Oak(ABCD sliced), Multi-layer engineered flooring (Eucalyptus&Poplar core, poplar backer), 14/3x190x500/1900 (longboard 84%, average length 1629mm), T&G, Hand-scraped Light brushed, UV Lacquer (gloss 6-9%), Colour:Natural
欧洲白橡多层实木复合地板,14/3x190x500/1900乱尺,仿古浅拉丝,ABCD级,自然色



MKNO.912 EO_154240T_912&DS&C1

ELV_EO(ABCD/C)_3E(P/P)_15/4x240x650/2200(83%
1880)_TG(J)_B_HSHA&WB/L_UV(6-9%)
_912&DS&C1_DL



MKNO.913 EO_154240T_农舍&C1

EO(ABCD/C)_3E(P/P)_15/4x240x650/2200(83%1880)
_TG(J)_B_S&WB/M_UV(6-9%)_913 农舍&C1_DL



MKNO.920 EO_154240T_920&C5&W

ELV_EO(ABCD/C)_3E(P/P)_15/4x240x650/2200(83%
1880)_TG(J)_B_S&WB/L_IOUO(6-9%)_920&C5&W_DL



MKNO.921 EO_154240T_921&DS&W
EO(ABCD/C)_3E(P/P)_15/4x240x650/2200(83%1880)
_TG(J)_B_S&WB/L_IOUO(6-9%)_921&DS&W_DL

MKNO.922 EO_154240T_922&DS&W
ELV_EO(ABCD/C)_3E(P/P)_15/4x240x650/2200(83%
1880)_TG(J)_B_S&WB/L_IOUO(6-9%)_922&DS&W_DL

MKNO.924 EO_154240T_924&C5&WP
EO(ABCD/C)_3E(P/P)_15/4x240x650/2200(83%1880)
_TG(J)_B_S&WB/M_IOUO(6-9%)_924 C5&WP_DL

MKNO.929 EO_154240T_929&DS&W
ELV_EO(ABCD/C)_3E(P/P)_15/4x240x650/2200(83%
1880)_TG(J)_B_S&WB/M_IOUO(6-9%)_929&DS&W_DL



MKNO.163 中国代号 EO_183190T_烟熏橡木&MS

PE(ZH)_EO(ABC/S)_ME(EP/P)_18/3x190x500/1900(33%1140)_TG(J)
_N_S&WB/L_UV(6-9%)_Smoke Oak 烟熏橡木&MS_DL

D)European White Oak(ABC sliced), Multi-layer engineered flooring (Eucalyptus&Poplar core, poplar backer), 18/3x190x500/1900 (RL, longboard 33%, average length 1140mm), T&G, Smooth Light brushed, UV Lacquer (gloss 6-9%), Colour:Smoke Oak&MS
欧洲白橡多层实木复合地板,18/3x190x500/1900乱尺, 平面浅拉丝, ABC级, 烟熏橡木





MKNO.938 EO_154190T_938&C1&H
EO(ABCD/C)_3E(P/P)_15/4x190x500/1900(83%1624)
_TG(J)_DB_S&WB/M_WO(6-9%)_938&C1&H_DL

MKNO.945 EO_143190T_945&C3
EO(ABC/S)_3E(P/P)_14/3x190x500/1900(83%1624)
_TG(J)_N_S&WB/M_IOWO(4-8%)_945&C3_DL



MKNO.164 中国代号 EO_183190T_新地平线

PE(ZH)_EO(ABC/S)_ME(EP/P)_18/3x190x500/1900(33%1140)_TG(J)
_N_S&WB/L_UV(6-9%)_New Horizon新地平线_DL

D)European White Oak(ABC sliced), Multi-layer engineered flooring (Eucalyptus&Poplar core, poplar backer), 18/3x190x500/1900 (RL, longboard 33%, average length 1140mm), T&G, Smooth Light brushed, UV Lacquer (gloss 6-9%), Colour:New Horizon
欧洲白橡多层实木复合地板,18/3x190x500/1900乱尺,平面浅拉丝,ABC级,新地平线



MKNO.174 中国代号 EO_143152T_漂流木&WP


EC(ZH)_EO(ABCD/S)_ME(EP/P)_14/3x152x400/1900(15%969)_TG(I)
_B_HS&WB/L_UV(6-9%)_Driftwood漂流木&WP_DL

D)European White Oak(ABCD sliced), Multi-layer engineered flooring (Eucalyptus&Poplar core, poplar backer), 14/3x152x400/1900 (RL, longboard 15%, average length 969mm), T&G, Hand-scraped Light brushed, UV Lacquer (gloss 6-9%), Colour:Driftwood&WP
欧洲白橡多层实木复合地板,14/3x152x400/1900乱尺, 仿古浅拉丝, ABCD级, 漂流木



MKNO.931 EO_154240T_松鼠&MS&W

EO(ABCD/C)_3E(P/P)_15/4x240x650/2200(83%1880)_TG(I)
_B_HSHA&SE&WB/L_UO(6-9%)_931 松鼠&MS&W_DL



MKNO.933 EO_122190T_933&C3

EO(EF/S)_ME(E/P)_12/2x190x500/1900(33%1036)
_TG(I)_B_S&EM_WO(6-9%)_933&C3_DL



MKNO.934 EO_143190T_934&C3

EO(CDE/S)_3E(P/P)_14/3x190x600/1900(83%1624)
_TG(I)_B_S&EM_IOWO(4-8%)_934&C3_DL



MKNO.935 EO_122190T_935&C2

EO(DE/S)_ME(E/P)_12/2x190x500/1900(33%1036)
_TG(I)_B_S&WB/M_IOWO(4-8%)_935&C2_DL



MKNO.165 中国代号 EO_183190T_蒙特卡洛

PE(ZH)_EO(ABCD/S)_ME(EP/P)_18/3x190x500/1900(50%1265)_TG(J)
_C_S&WB/L_UV(6-9%)_Monte Carlo蒙特卡洛_DL

D)European White Oak(ABCD sliced), Multi-layer engineered flooring (Eucalyptus & Poplar core, poplar backer), 18/3x190x500/1900 (RL, longboard 50%, average length 1265mm), T&G, Smooth Light brushed, UV Lacquer (gloss 6-9%), Colour:Monte Carlo
欧洲白橡多层实木复合地板,18/3x190x500/1900乱尺, 平面浅拉丝, ABCD级, 蒙特卡洛



MKNO.936 EO_122190T_936&DS&H
EO(CDE/S)_ME(E/P)_12/2x190x500/1900(33%1036)
_TG(J)_B_S&WB/M_WO(6-9%)_936&DS&H_DL



MKNO.940 EO_143190T_940&DS
EO(CDE/S)_3E(P/P)_14/3x190x500/1900(83%1624)
_TG(J)_B_S&EM_WO(6-9%)_940&DS_DL








MKNO.178 中国代号 EO_182152T_大麦

EC(ZH)_EO(ABCD/S)_ME(EP/P)_18/2x152x400/1900(28%1108)_TG(J)
_B_HS&WB/L_UV(6-9%)_Barley Harvest 大麦_DL

D)European White Oak(ABCD sliced), Multi-layer engineered flooring (Eucalyptus & Poplar core, poplar backer), 18/2x152x400/1900 (RL, longboard 28%, average length 1108mm), T&G, Hand-scraped Light brushed, UV Lacquer (gloss 6-9%), Colour:Barley Harvest
欧洲白橡多层实木复合地板,18/2x152x400/1900乱尺, 仿古浅拉丝, ABCD级, 大麦



MKNO.939 EO_143190T_939&MS&H

EO(CDE/S)_3E(P/P)_14/3x190x500/1900(83%1624)
_TG(J)_B_S&EM_WO(6-9%)_939&MS&H_DL

MKNO.942 EO_143190T_942&C1

EO(DE/S)_3E(P/P)_14/3x190x500/1900(83%1624)
_TG(J)_B_S&EM_IOWO(4-8%)_942&C1_DL





MKNO.545 H_122190T_星辰&G

ADS(LYP)_H(ABCD/S)_ME(E/P)_12/2x190x500/1900
(17%1038)_TG(Q)_B_S&WB/L_UV(6-9%)_Ontario星
辰&G_KH

MKNO.904 EO_143190V_904&W

NX(LX)_EO(ABC/S)_3E(P/P)_14/3x190x950/1900(90%
1425)_VG(J)_N_S&WB/M_UV(6-9%)_904&W_DL

MKNO.928 EO_154240T_928&MS&W

EO(ABCD/C)_3E(P/P)_15/4x240x650/2200(83%
1880)_TG(J)_B_HSHA&SE&WB/L_IOUO(6-9%)
_928&MS&W_DL

MKNO.948 EO_143190T_948&W

EO(ABCD/S)_3E(P/P)_14/3x190x500/1900(83%
1624)_TG(J)_B_S&WB/M_UO(6-9%)_948&W_DL



MKNO.184 中国代号 EO_183180T_北欧柞木

EC(ZH)_EO(ABCD/S)_ME(EP/P)_18/3x180x400/1900(33%1140)_TG(J)
_N_S&WB/L_UO(6-9%)_Scandinavian Oak 北欧柞木_DL

D)European White Oak(ABCD sliced), Multi-layer engineered flooring (Eucalyptus & Poplar
core, poplar backer), 18/3x180x400/1900 (RL, longboard 33%, average length 1140mm),
T&G, Smooth Light brushed, UV Oil (gloss 6-9%), Colour:Scandinavian Oak
欧洲白橡多层实木复合地板,18/3x180x400/1900乱尺, 平面浅拉丝, ABCD级, 北欧柞木

MKNO.196 H_122190V_星辰&G

PE(ZH)_H(ABCD/S)_ME(E/P)_12/2x190x600/1900
(33%1140)_VG(J)_C_S&WB/L_UV(6-9%)_Ontario
星辰&G_DL



MKNO.232 M_143152V_N

NX_M(ABT/C)_3E(P/P)_14/3x152x600/1200(90%
1200)_VG(J)_F_S_UV(13-17%)_Natural自然色_DL



MKNO.235 H_143152V_N

NX_H(ABT/C)_3E(P/P)_14/3x152x600/1200(90%
1200)_VG(J)_F_S_UV(13-17%)_Natural自然色_DL

MKNO.236 ARO_143152V_珊瑚海

NX_ARO(ABC/C)_3E(P/P)_14/3x152x600/1200
(90%1200)_VG(J)_F_S&WB/L_UV(13-17%)_Coral
Sea 珊瑚海_DL

MKNO.233 H_143152V_黄金海岸

NX_H(ABCT/C)_3E(P/P)_14/3x152x600/1200(90%1200)
_VG(J)_F_S_UV(13-17%)_Gold Coast 黄金海岸_DL





MKNO.237 中国代号 ARO_143152V_尼罗河

NX_ARO(ABC/C)_3E(P/P)_14/3x152x600/1200(90%1200)_VG(J)_F_S&WB/L_UV
(13-17%)_Nile 尼罗河_DL

D)American Red Oak(ABC saw cut), 3-layer engineered flooring (Poplar core, poplar backer),
14/3x152x600/1200 (longboard 90%, average length 1200mm), Valinge Click, Smooth Light
brushed, UV Lacquer (gloss 13-17%), Colour:Nile

美国红橡三层实木复合地板,14/3x152x600/1200, 平面浅拉丝, ABC级, 尼罗河

MKNO.240 中国代号 EO_143190V_里约桑巴

NX_EO(ABC/S)_3E(P/P)_14/3x190x650/1900(66%1275)_VG(J)_F_S&WB/L_UV(13-
17%)_Rio Samba 里约桑巴_DL

D)European White Oak(ABC sliced), 3-layer engineered flooring (Poplar core, poplar backer),
14/3x190x650/1900 (RL, longboard 66%, average length 1275mm), Valinge Click, Smooth
Light brushed, UV Lacquer (gloss 13-17%), Colour:Rio Samba

欧洲白橡三层实木复合地板,14/3x190x650/190乱尺, 平面浅拉丝, ABC级, 里约桑巴



MKNO.241

中国代号 EO_143190V_塞纳河畔&W

NX_EO(ABC/S)_3E(P/P)_14/3x190x650/1900(66%1275)
_VG(J)_F_S&WB/L_UV(13-17%)_Seine River 塞纳河畔&W_DL

D)European White Oak(ABC sliced), 3-layer engineered flooring
(Poplar core, poplar backer), 14/3x190x650/1900 (RL, longboard
66%, average length 1275mm), Valinge Click, Smooth Light
brushed, UV Lacquer (gloss 13-17%), Colour:Seine River&W
欧洲白橡三层实木复合地板, 14/3x190x650/1900乱尺, 平面
浅拉丝, ABC级, 塞纳河畔

MKNO.943 EO_143190T_943&DS&C1

EO(DE/S)_3E(P/P)_14/3x190x500/1900(83%1624)
_TG(J)_B_S&EM_IOWO(4-8%)_943&DS&C1_DL



MKNO.947 EO_143190x□T_N

EO(ABCD/S)_ME(EP/P)_14/3x190x1140x□_TG(J)
_B_S&WB/L_NO(4-8%)_947自然色&MS_DL



MKNO.949 EO_143190T_949&W

EO(ABCD/S)_3E(P/P)_14/3x190x500/1900(83%
1624)_TG(J)_B_S&WB/M_UO(6-9%)_949&W_DL



MKNO.950 EO_143190T_950&M

EO(ABCD/S)_3E(P/P)_14/3x190x500/1900(83%
1624)_TG(J)_B_S&WB/L_UO(6-9%)_950&M_DL



MKNO.951 EO_143190T_951&W

EO(CD/S)_3E(P/P)_14/3x190x500/1900(83%1624)
_TG(J)_B_S&WB/L_UO(6-9%)_951&W_DL

MKNO.952 EO_122190T_蝴蝶结&C3

EO(EF/S)_ME(EP/P)_12/2x190x500/1900(33%1036)
_TG(J)_B_S&EM&B_IO(6-9%)_952 蝴蝶结&C3_DL

MKNO.953 EO_143190T_苍鹭1号&C3

EO(CDE/S)_3E(P/P)_14/3x190x500/1900(83%1624)
_TG(J)_B_S&EM_IO(6-9%)_953苍鹭1号&C3_DL

MKNO.955 EO_154240T_老榆木&C4

ELV_EO(CD/C)_3E(P/P)_15/4x240x650/2200(83%
1880)_TG(J)_B_S&WB/L_WO(4-8%)_955 老榆木
&C4_DL



MKNO.309

中国代号 EO_1890T_丁香&C1

PSF(LYP)_EO(CD)_S_18x90x300/1200(7%630)_TG
(J)_B_S&WB/L_WOUO(6-9%)_Lilac丁香&C1_DL

D)European White Oak(CD), Solid wood flooring,
18x90x300/1200 (RL, longboard 7%, average length
630mm), T&G, Smooth Light brushed, Wax Oil UV Oil
(gloss 6-9%), Colour:Lilac&C1
欧洲白橡实木地板, 18x90x300/1200乱尺, 平面浅拉
丝, CD级, 丁香



MKNO.310 中国代号 EO_1890T_水墨茶香&C2

PSF(LYP)_EO(CD)_S_18x90x300/1200(7%630)_TG(J)_B_S&WB/L_IOUV(6-9%)_Tea Leaf 水墨茶香&C2_DL

D)European White Oak(CD), Solid wood flooring, 18x90x300/1200 (RL, longboard 7%, average length 630mm), T&G, Smooth Light brushed, Invisible Oil UV Lacquer (gloss 6-9%), Colour:Tea Leaf&C2

欧洲白橡实木地板,18x90x300/1200乱尺,平面浅拉丝,CD级,水墨茶香



MKNO.357 中国代号 EO_18125T_铁门&C1

PSF(LYP)_EO(CD)_S_18x125x300/1200(7%650)_TG(J)_B_HS&WB/L_UV(6-9%)_Iron Gate铁门&C1_DL

D)European White Oak(CD), Solid wood flooring, 18x125x300/1200 (RL, longboard 7%, average length 650mm), T&G, Hand-scraped Light brushed, UV Lacquer (gloss 6-9%), Colour:Iron Gate&C1

欧洲白橡实木地板,18x125x300/1200乱尺,仿古浅拉丝,CD级,铁门



MKNO.343 EO_18125T_土黄
PSF(LYP)_EO(CD)_S_18x125x300/1200(7%650)_TG(I)_C_S&WB/L_UV(4-8%)_Wheat 土黄_DL



MKNO.954 EO_143190T_苍鹭2号&C3
EO(CDE/S)_3E(P/P)_14/3x190x500/1900(83%1624)_TG(I)_B_S&EM_IO(6-9%)_954 苍鹭2号&C3_DL



MKNO.317 中国代号 EO_18108T_卡希尔&C1
PSF(LYP)_EO(CD)_S_18x108x300/1200(7%630)_TG(I)_B_S_IOUV(4-8%)
_Cahill 卡希尔&C1_DL

D)European White Oak(CD), Solid wood flooring, 18x108x300/1200 (RL, longboard 7%, average length 630mm), T&G, Smooth, Invisible Oil UV Lacquer (gloss 4-8%), Colour:Cahill&C1
欧洲白橡木地板,18x108x300/1200乱尺, 平面, CD级, 卡希尔




HARD
WOOD

 **C.B. Asia Ltd.**

Flooring Surface

Profile of Coatings

7-12 layers quality lacquer,low emission,unique color,better anti-scratch



- 1. water based Primer
- 2. Lubrication and normal primer
- 3. light Putty&anti-brasive primer
- 4. Transparent elastic primer
- 5. UV Normal Primer
- 6. Back lacquer
- 7. anti-abrasive primer(color)
- 8. anti-scratch primer(gloss)

Different Finish



Natural & Smooth



Brush



Gris



Handscrape



Fumed & Smoked



Reactive



Distress



Saw cut



Deluxe Collection

Deluxe collection are wide plank and long strips of oak and walnut, which make your home unique, either can be modern, warm, elegant or antique style. The surface are usually mixed with brushed, oiled, fumed, saw mark treatments etc to give the wood a fresh cut look and to enhance the intricate wood grain patterns. Deluxe collection include vernal series, terra series and rustic series.

L-2200mm
W-220mm



L-2200mm
W-240mm



L-2200mm
W-260mm



L-1900mm
W-190mm



L-1900mm
W-220mm



Oak Vernal Series

Light and pale color tone,creating a calm and airy feeling,pure simple and neutral.



Oak-01 Natural



Oak-02 Pale



Oak-04 Natural&white Brushed



Oak-05 Deep Fumed&white Brushed




Oak-14



Oak-15



Oak-18



Oak-08 Black Grey&white Brushed



Oak-16



Oak-19



Oak-17



Oak-20



Oak Terra Series

Modern dark colors match both contemporary and traditional interior designs, A perfect, strong and powerful contrast to colourful accessories and furniture in the room.



Oak-21



Oak-22



Oak-23



Am. Walnut-01 Natural



Oak-24



Oak-10 black&white brushed



Oak-13 bronze&saw mark





Oak Rustic Series

Deep colours add radiance and warmth to the classic interior and emphasises the elegance, and unique look. With natural wildy wood grains bring the beauty of nature to the comfort of your homes.



Oak-25



Oak-26



Oak-27



Oak-28



Oak-29



Oak-30



Oak-31



Oak-32



Urban Collection

A restyled floor inspired by the classic parquets of traditional European design dating back to medieval times, New Classics Collections flourishes and enjoys a welcomed resurgence. Usually applied with most popular traditional length and width. Can be light color tone with warm or tranquil feel or can be treated with dark stained color,carbonized or handscraped style etc. with an old or morden look.



Oak-Chateau Series

Oak is known as its very straight and open grain. It is also hard, heavy wood species. They come in a wide range of colours, from the lighter“shabby” white to the darker antique look.



Oak-42 natural



Oak-43 honey



oak-44 white base&white brushed



Oak-45 golden

Oak-41 natural



Oak-46 grey



Oak-47 burgundy



Oak-48 coffee



Oak-49 walnut



Oak-48 coffee





HS-Oak-45 golden



HS-Oak-48 coffee

HS-Oak-44 golden

Maple-Legacy series

Maple texture, with clearly and lightly defined rays, the surfaces are limitless and impressive. It is hard & dense wood with kind of uniform color. Light and pure colors makes it easy to be stained with different colors & styles.



Maple-01



Maple-02



Maple-03



Maple-04




HS-Maple-02



HS-Maple-04



Maple-01



Chinese Maple-01



Chinese Maple-02



Chinese Maple-03



Chinese Maple-04



Chinese Maple-05

Chinese Maple-02

Smart series

Hickory's natural color, their natural color viration, smooth grain, usually applied stained color with handscraped style. Creating an effect of depth, volume, and velvet-like softness. The gentle color tones of hickoy texture translate into a classic and delicate-looking surface.



Hickory-01



Hickory-02



Hickory-03



Hickory-04




Hickory-01



Exotic Collection

There are six exotic wood species offer vibrant shades of color with grains,some wood are domestic species,the others are imported.. Each plank has a Unique grain that pieces together bringing you a floor unlike any other.





Boutique Acacia series

Acacia floor is well-known by its unique swirling grain patterns and extraordinary color variations. It is one of the hardest wood flooring species options available. Its dynamic looks adds exciting spirit to a home with long-lasting durability as well as an elegant look.



Acacia-01 natural



Acacia-02 golden



Acacia-03 walnut



Acacia-04 raven



HS-Acacia-02 golden



HS-Acacia-03 walnut



HS-Acacia-02 golden



HS-Acacia-03 walnut

Royal Catbrier teak series

Catbrier teak is a unique succedaneum of Oak. Its also has a good hardness and glossy wood performance. And it is very resistant to insect and fungal attack because of its high tannin content.



Catbrier teak-04 burma teak



HS-Catbrier teak-02 walnut



HS-Catbrier teak-03 golden

Catbrier teak-04 burma teak



Burma teak,natural

Splendid series

Splendid series have burma teak,taun,santos mohgany, Black walnut etc.Most are imported wood species. Usually applied with natual color or matte lacquer,in order to highlights the unquie wood grain and natural color.



Burma teak,natural



Santos mahogany,natural



Taun-02 mahogany



Am.walnut-01 natural




Taun-01 merbau



Palais Collection

Carefully selected hardwoods with the best grains to create eye-pleasing patterns that transcended time and tradition. Fully made by highly professional and experienced workers, It's a renaissance of time-honored artistry blended with modern performance.



Wood Parquet



Art Parquet flooring is an artistic expression made from blocks of wood in a variety of geometric patterns - some very simple figures, while others can be sophisticated and difficult to achieve and only true professionals like us can provide you.



M-01



M-02



M-03



M-04



M-05



M-06



M-07



M-08



M-09



M-10



M-11



M-12

Accessories



Threshold:
can be used in doorways, at sliding doors, against fireplaces, etc. when abutting joining rooms that have floors of different heights.



Quarter Round:
can be used along the base of the walls against the wood baseboard to cover the required expansion gap between the flooring and the wall.



Reducer:
can be used to smoothly taper the edge of the wood floor down onto another surface.



T-molding:
can be used as a transition piece between two floors that are of the same height.



Wall Base:
can be a decorative molding that is nailed to the walls on top of the flooring, or it can be used with quarter round.



Stair Nosing:
can be used on the front edge of a step.

Underlayment & Hammer



YKL-RC700



YKL-RF2001



YKL-RF2007



YKL-RF3001



Black Underlayment



YKL-RF3004



YKL-RF5001



YKL-RF8003



YKL-RF8004



Rubber Hammer



How to Select the Real Valuable Flooring?

Tip 1

☒ **One piece = The whole flooring**

The quality of one piece of flooring is equal to those of the Whole flooring after installation.

☒ **One piece \neq The whole flooring**

Fact: Actually, the quality of one piece of flooring is just one aspect of overall effect of the whole flooring after installation.

The real valuable flooring not only demands single plank is beautiful, healthy and durable, but also requires the whole flooring gap, separation and warp resistant for long-time use after installation. Otherwise it will be easy to get dusty and grow germ in the joint, and no longer keep artistic, healthy or durable.

Tip 2

☒ **Construction quality=Installation quality**

☒ **Construction quality + Floor joint technology= Installation quality**

Fact: The installation technology plays a decisive role especially in heating floor system. Superior joint technology is a key factor in preventing separation and gap problems between the flooring.

Tip 3


☒ **The higher price of floors = The higher purchase cost**

☒ **The purchase cost= Material cost + Installation cost + Usage cost**

Fact: The consumers' real purchase cost is hugely influenced by the installation cost and the usage cost like maintenance cost, warranty, psychology feeling, effect to health, etc.



Gap-Resistant



Warp-Resistant



Separation-Resistant

Tap & Go Locking System


Save more,live better

- One of three **world-class** flooring click patent;
- Innovative hook joint structure with **smart groove**, to be installed by vertical tapping along edges of the planks.
- **Most Advanced** Locking system, particularly good for **wood and bamboo floors**.


Structure

1. 4-side Lock:

The elasticity groove design is applied in both long and short end sides. TAP&GO's special 4 sides' Locking technology ensures the installed floors hard to dispart after installation while other locking floorings are easily apart rom short ends.




The UP HOOK




The LOW HOOK

2. Drop lock structure:

It is provided for more option to the customer with less tap, especially the DIY home users who have less experience of installation. The combination of the drop lock short side with the orginal strong long side still gives perfect performance on the final installation effect.



Droploc click on the short side for UP-HOOK



Droploc click on the short side for LOW-HOOK

Advantages



1) Trusted Quality Material

TAP&GO floors adopted high quality raw materials, excellent technology and advanced equipment.



2) Stronger Locking

The wider and deeper design of TAP&GO locking system makes TAP&GO locking much stronger, no loosing or departing. Meanwhile, the intelligent Groove in the up hook is an innovative technology, which enables the hook shrink and expands with good elasticity, and makes planks truly firmly locked together.



3) Easier installation

To be simply installed by tapping-in the edge of the planks, One person with one rubber mallet is all needed.



4) Eco-Friendly

* Low formaldehyde

TAP&GO locking flooring formaldehyde emission rate is far below than the the normal or low quality ones. Moreover, Tap&Go locking installation requires no glue, which makes the floor more natural and safe.

Tap&Go Flooring Structure



Solid Wood Floor



3 Layer Engineered with Pine core



Multi-layer Engineered with Plywood core




3 Layer Engineered with HDF core

History of Wooden Flooring Joint System



1st of Flooring Connecting Technology
— "Bean curd block" Connecting Technology



2nd Generation of Flooring Connecting Technology
— "Tongue&Groove" Connecting Technology



3rd Generation of Flooring Connecting Technology
Horizontal Connecting Technology



4th Generation of Flooring Connecting Technology 3R click Connecting Technology



Generation	Invented	Joint	Installation			Gap/ Separation	Recycle Used	Heating System	Eco-friendly		Application
			Glue/ Nail	Keel	Easy				Formaldehyde Emission	Bateria/ Dust	
1st G	—	Non	✓	✓	✗	→ ←	✗	✗	☼☼☼	☼☼☼	Solid wood
2nd G	1950	Tongue & Groove	✓	✓	✗	→ ←	✗	★	☼☼☼	☼☼☼	Solid/Engineered /Bamboo
3rd G	1996	Locking System	✗	✗	★	→ ←	✓	★★★	☼☼☼	☼☼☼	Laminate
4th G	2006	Smart Locking System	✗	✗	★★★	→ ←	✓	★★★★	☼☼☼	☼☼☼	Solid/Engineered /Laminate/Bamboo