

# Superior products : Plywood

**Plywood**---CARB, FSC, CE, JAS Certificate



## *Available Details :*

Thickness:5-38mm

Dimensions: 3'×6', 4'X 3', 4' X4', 4'X6', 4'X8', 6'X8'

Material: fully eucalyptus or eucalyptus +beech or fully beech

Certificate: CARB P2, FSC, CE, JAS

Usage: furniture, structure or base of flooring etc.



# ***NEW PRODUCTS: WIDE PLANK:***



*Engineered flooring series*

White Oak BF1203E36

# NEW PRODUCTS: WIDE PLANK



White Oak BF1012E36



White Oak CP1368E36



White Oak CPF1372E36

## Available Dimension:

Thickness:12-19mm  
 The thickness of top layer:2.0-6.0mm  
 Width:178-203mm  
 Length: 610-2235mm /Random length

## More information:

Joint: T&G  
 Core: Eucalyptus  
 Finish: UV Coating (UV natural oil)  
 Packing: Carton & Pallet

## Above Dimension:

Size (mm)	Sqm/Ctn	Pcs/Ctn	Ctns/Pallet	Pallets/20' Container
12(2.0)×178× 610-1830mm	3.257	10	42	10

*Engineered flooring series*

# NEW PRODUCTS: WIDE PLANK



White Oak CPF1376E36



White Oak CP1367E36



White Oak BF0005CU36

## Available Dimension:

Thickness:12-19mm  
 The thickness of top layer:2.0-6.0mm  
 Width:178-203mm  
 Length: 610-2235mm /Random length

## More information:

Joint: T&G  
 Core: Eucalyptus  
 Finish: UV Coating (UV natural oil)  
 Packing: Carton & Pallet

## Above Dimension:

Size (mm)	Sqm/Ctn	Pcs/Ctn	Ctns/Pallet	Pallets/20' Container
19(4.0)×203× 610-2235mm	2.269	5	50	10

*Engineered flooring series*


# NEW PRODUCTS: WIDE PLANK



White Oak BF1373E36



Maple C1019E38



Maple C1923E38

## Available Dimension:

Thickness: 12-19mm  
 The thickness of top layer: 2.0-6.0mm  
 Width: 178-203mm  
 Length: 610-2235mm / Random length

## More information:



Joint: T&G  
 Core: Eucalyptus  
 Finish: UV Coating (UV natural oil)  
 Packing: Carton & Pallet

## Above Dimension:

Size (mm)	Sqm/Ctn	Pcs/Ctn	Ctns/Pallet	Pallets/20' Container
12(2.0) × 4" 6" 8" × 610-1830mm	3.35	12	39	10

*Engineered flooring series*

# NEW PRODUCTS: WIDE PLANK



American Hickory C1210EH69

American Hickory C0923EH69

Benzi C6377E32

## Available Dimension:

Thickness:12-19mm

The thickness of top layer:2.0-6.0mm

Width:178-203mm

Length: 610-2235mm /Random length

## Above Dimension:

Size (mm)	Sqm/Ctn	Pcs/Ctn	Ctns/Pallet	Pallets/20' Container
12(2.0)×178× 610-1830mm	3.257	10	42	10

## More information:

Joint: T&G


Core: Eucalyptus

Finish: UV Coating (UV natural oil)

Packing: Carton & Pallet

*Engineered flooring series*

# GENERAL PRODUCTS



Red Oak D3079EH66



Birch H8001E41



White Oak L3078EH36

## Available Dimension:

Thickness:12-15mm

The thickness of top layer:0.6-2.0mm

Width:76-125mm

Length: 305-1220mm /Random length

## More information:

Joint: T&G

Core: Eucalyptus

Finish: UV Coating (UV natural oil)


Packing: Carton & Pallet

## Packing for Standard Dimension:

Size (mm)	Sqm/Ctn	Pcs/Ctn	Ctns/Pallet	Pallets/20' Container
12(2.0)×125× 305-1220mm	1.83	12	52	18

*Engineered flooring series*

# GENERAL PRODUCTS



Maple H7005E38



White Oak D8001EH36



Maple L3078E38

## Available Dimension:

Thickness:12-15mm

The thickness of top layer:0.6-2.0mm

Width:76-125mm

Length: 305-1220mm /Random length

## More information:

Joint: T&G

Core: Eucalyptus

Finish: UV Coating (UV natural oil)

Packing: Carton & Pallet

## Packing for Standard Dimension:

Size (mm)	Sqm/Ctn	Pcs/Ctn	Ctns/Pallet	Pallets/20' Container
12(2.0)×125× 305-1220mm	1.83	12	52	18


*Engineered flooring series*



# GENERAL PRODUCTS



Acacia BP2039Z77



Acacia BP2043Z77



Sapele B3909E31

## Available Dimension:

Thickness:12-15mm

The thickness of top layer:0.6-2.0mm

Width:76-125mm

Length: 305-1220mm /Random length

## More information:

Joint: T&G

Core: Eucalyptus

Finish: UV Coating (UV natural oil)


Packing: Carton & Pallet

## Packing for Standard Dimension:

Size (mm)	Sqm/Ctn	Pcs/Ctn	Ctns/Pallet	Pallets/20' Container
12(2.0)×125× 305-1220mm	1.83	12	52	18

*Engineered flooring series*

# GENERAL PRODUCTS



Sapele B3990E31



Reclaimed Elm CF3077E47



Red oak B1356E66

## Available Dimension:

Thickness:12-15mm

The thickness of top layer:0.6-2.0mm

Width:76-125mm

Length: 305-1220mm /Random length

## More information:

Joint: T&G

Core: Eucalyptus

Finish: UV Coating (UV natural oil)


Packing: Carton & Pallet

## Packing for Standard Dimension:

Size (mm)	Sqm/Ctn	Pcs/Ctn	Ctns/Pallet	Pallets/20' Container
12(2.0)×125× 305-1220mm	1.83	12	52	18

*Engineered flooring series*


# GENERAL PRODUCTS



Brazilian Cherry B3038E39



White Oak B0000E36



Maple B0000E38

## Available Dimension:

Thickness: 8-15mm  
The thickness of top layer:0.6mm  
Width:76-125mm  
Length: 305-1220mm /Random length

## More nformation:

Joint: T&G  
Core: Eucalyptus  
Finish: UV Coating (UV natural oil)  
Packing: Carton & Pallet

## Packing for Standard Dimension:

Size (mm)	Sqm/Ctn	Pcs/Ctn	Ctns/Pallet	Pallets/20' Container
8(0.6)×125× 305-1220mm	2.745	18	52	18

*Engineered flooring series*

# The Structure of Engineered Floor

- **Coating:**
- **1. Natural Oiled finish:**
- The oli finished floor is exceptionally original and stylish,
- velvety to the touch, and hypoallergenic.
- **2. UV Lacquer**
- The vanished floor is fully protected against scratches
- and is easy to maintain clean.
  
- **The hardwood layer**
- the layer is made of exotic solid wood and gives you the look
- and feel of real solid wood floor. This top layer has a
- finish which can range between oil or lacquer.
  
- **Plywood core (Eucalyptus)**
- Multi-ply cross-grain construction makes our floor far stronger
- than single, solid pieces of wood. They are not easy to warp or buckle.
- Every floor is constructed with at least 5 plies optimum strength and durability. Each ply is laid cross-grain to those above and beneath it, each ply reinforcing to the next, and with the strongest resins bonding all layers together, the combined result is far stronger than a single solid piece of wood.



# Carbonized wood flooring

## Carbonized solid wood flooring— DECKING

---



### *Available Details:*

Thickness: 35mm  
Width: 125/170mm  
Length: 1220-4000mm  
Joint: T&G  
Material: Douglas Fir  
Finish: UV natural oil

# Kindly Reminder

- ◆ *The wood species in our flooring have natural properties such as mineral streaks, knots, plank color variation, and color changes due to light exposure.*
- ◆ *These properties are characteristic of natural wood and do not affect the quality or beauty of the product.*
- ◆ *As the appearance and color of our floors may vary from our samples or the pictures in our literature, we recommend that you use a real sample in selecting your new floor.*

